

GARAGE DOORS



ACCENT the beauty of YOUR HOME

A guide to choosing a garage door as beautiful as your home



Clopay, the right choice for your home.

- Clopay is North America's largest and most trusted garage door brand
- A garage door can represent as much as 30% of your home's front façade, which makes choosing the right design especially important and Clopay has the widest selection available
- Clopay garage doors are designed and manufactured in the USA

-

Gallery[®] Steel Long Panel Design with ARCH1 Grille Windows R

DESIGN, VISUALIZE AND PURCHASE A NEW CLOPAY GARAGE DOOR

Use the Garage Door Configurator to design from any of your devices

Upload a photo of your home.

See which style offers you the look you want. With just a few simple clicks, you can visualize the transformation and make it a reality.



homedepot.com/garagedoors










CHOOSE YOUR GARAGE DOOR SIZE Garage door sizes are generally categorized as single or double car doors

Single Car Door





CHOOSE YOUR GARAGE DOOR





CHOOSE YOUR CONSTRUCTION

The construction and insulation type improves energy efficiency, durability and noise control of the door



ENERGY DURABILITY NOISE EFFICIENCY CONTRO

Our **BEST** construction is made

using 2" Intellicore® insulation

between two layers of steel.

R-Value* = 18.4

CONTROL

*Calculated door section R-value is in accordance with DASMA TDS-163.





Our BETTER construction is made using 1-3/8" Intellicore® insulation between two layers of steel. R-Value* = 12.9

ENERGY DURABILITY NOISE

GOOD

EFFICIENCY CONTROL Our GOOD construction is made using 1-3/8" polystyrene insulation between two layers of steel.

 $R-Value^* = 6.5$






ENERGY DURABILITY NOISE EFFICIENCY CONTROL

Our BASIC construction is made using one layer of durable steel. $R-Value^* = 0.0$







intellicore insulation technology











NOISE CONTROL Dense insulation reduces operating noise



THERMAL BREAK Separates steel skins to improve energy efficiency







RUST PREVENTION Layered coating system helps protect steel skins

Available on the following garage doors:



CANYON RIDGE® COACHMAN® CARRIAGE HOUSE 4-LAYER

GALLERY® STEEL CLASSIC® STEEL

6

RELIABLE OPERATION

MEDALLION[™] HARDWARE UPGRADE

UPGRADE, PROTECT AND EXTEND the Life of Your Garage Door

UPGRADED HARDWARE

- Nylon ball bearing rollers for quiet, long-lasting operation
- Heavy-duty QuietFlex[™] 14 gauge hinges for smooth worry-free operation
- Extended life cycle springs

Along with upgraded hardware you receive extended warranties. See below for what is included on a standard door versus a door purchased with the Medallion[™] Upgrade.



INCLUDED

3 Year

Limited Warrant

Spring



Rollers

Heavy-Duty Ball Bearing Rollers HINGES

INCLUDED

3 Year Limited Warranty





MEDALLION™

Heavy-Duty QuietFlex[™] 14 Gauge Hinges

SPRINGS


MEDALLION™ UPGRADE



Extended Life Cycle Springs

7

CANYON RIDGE® CARRIAGE HOUSE



AVAILABLE DESIGNS

Series 1



Design 11



Design 12



Design 13

Series 2

Design 21





Design 23

Series 3



Design 31



Design 34



Design 37



Design 32



Design 35



Design 38



Design 33

Design 36

All doors shown in Medium Finish with Clear Cypress overlays.

4-LAYER






4-LAYER MODELS 2" Intellicore® Polyurethane Insulation

AVAILABLE OPTIONS

Top Section/Window Options



TOP13 (Solid)

Window grilles are Clear Cypress texture. Windows not available on Designs 31, 32, 33, 34, 35, 36, 37 and 38. Standard windows available on the following withths only 62", 8'0", 9'0", 10'0", 10'2", 12'0", 12'2", 13'6", 15'0", 15'2", 15'6", 15'8", 16'0", 16'2", 18'0", 18'2", 20'0", 20'2".

Motorial Design Onti

Material Design Options				
Steel Base	Overlay			
Ultra-Grain® Finish Cypress or Solid Cold		Cypress	Mahogany	
	nt present on Carriage Hou ss, above colors may vary			
Colors				
Canada and C				
Ultra-Grain® Cypress Medium Finish	Ultra-Grain® Cypress Walnut Finish	Ultra-Grain [®] Cypress Slate Finish	Bronze Finish*	
Charcoal Finish*	Black Finish*	White Finish*	Primed (No Finish)	

*Bronze, Charcoal, Black and White Finish available only on Mahogany overlays. Two-tone doors are available. Doors can be ordered primed for those homeowners wishing to custom paint their doors. Note: Primed solid steel base is a brown color. Door stain color will vary slightly within a door due to finishing process. Due to the printing process, above colors may vary.




Optional hardware available; see pages 14-15.

COACHMAN®




AVAILABLE DESIGNS









Series 3	3
1	1
Desig	yn 31





Design 35

Design 32






Design 36

Series 4



Design 41






Design 43





2" Intellicore® Polyurethane Insulation **CF MODELS** 1-3/8" Polystyrene Insulation



AVAILABLE OPTIONS

Colors			
Standard White	Almond	Desert Tan	Sandtone
Door and overlay colors may be mixed and matched. Due to the printing process, colors may vary.			

Door and overlay colors may be mixed and matched. Due to the printing process, colors may vary, IMPORTANT: For doors being painted black and very dark colors (having an LRV of 12 or less) contact us for special product. For colors having an LRV of 13 to 38 we require the use of tested and approved paints. A list of tested and approved paints can be found at: http://info.garagedoors.com/in.

Decorative Hardware Additional hardware options available; see pages 14–15.



Warranties



Series 3 and 4 not available with windows. Windows are standard with 1/8" double strength clear glass or optional obscure glass with removable insert grilles.

GALLERY[®] STEEL



AVAILABLE DESIGNS



Short Panel



Long Panel

Warranties



GR2SU/GR2LU/ GR1SU/GR1LU/ GR1SP/GR1LP/ GR4L ALL MOI

AVAILABLE OPTIONS



**Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP and GR1LP. **Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP, GR1LP and GR5S.

⁺ Available on Models GR2SU, GR2LU, GR1SU, GR1LU, GR1SP, GR1LP and GR4L.

[‡] Available on Models GR2SU and GR2LU.

Black, Lustra and Ultra-Grain color options are available at an additional charge.

Exterior steel on standard color doors has a natural woodgrain texture. Lustra[™] finish has a smooth texture. Exterior steel surface on an Ultra-Grair[®] finish door has a stucco texture. (Model GR4L has a woodgrain texture)

Decorative Hardware Additional hardware options available; see pages 14–15.






ADDITIONAL OPTIONS

Windows				
Plain Short	Plain Long	ARCH1 Plain	ARCH2 Plain	
Short with Rectangular Grilles	Long with Rectangular Grilles	ARCH1 with Vertical Grilles	ARCH2 with Vertical Grilles	
Short with Square Grilles	Long with Square Grilles	ARCH1 with Grilles	ARCH2 with Grilles	
Wrought Iron Short	Kristin [®] Short	Trenton® Short	Clayton [™] Short	
Wrought Iron Long	Kristin [®] Long	Trenton [®] Long	Clayton [™] Long	
50000 50000	Windows are standard with 1/8" double strength clear gl	ass or optional obscure glass with or without nions are available ONIX on Rest. Batter and Coord construct	tion doors	

Windows are standard with 1/8" double strength clear glass or optional obscure glass with or without snap-in grilles. Insulated double strength and obscure options are available ONLY on Best, Better and Good construction doors.

Wrought Iron ARCH


DECORATIVE HARDWARE



		Availability		
	Hardware Description Numbers below correspond with images on page 15	COACHMAN®	CANYON RIDGE [®] Carriage House 4-layer	GALLERY® STEEL
1	Standard Spade Lift Handles	~	~	V
2	Standard Spade Step Plate	V	V	V
3	Spade Strap Hinge*	V	V	V
4	Twisted "L" Handles	V	~	V
5	Twisted "T" Handle			V
6	Escutcheon Plate(s)	V	V	V
7	Spear Lift Handles	V	V	V
8	Spear Step Plate	V	~	V
9	Spear Strap Hinge*	~	~	V
10	Colonial Lift Handles	V	V	V
11	Colonial Step Plate	V	V	V
12	Colonial Strap Hinge*	~	V	V
13	Decorative Handles with Keyhole	V	~	
14	Ring Door Knocker	V	V	

*Door may not open properly if installed near the top, depending on opening dimensions and lift type.

Attractive black powder coated handles and step plates are provided standard to further enhance the carriage house design. Optional antique hardware, including handles, operable L-keylocks and strap hinges, are available to provide the look of a classic carriage house door.



CLOPAY STEEL paint colors

Now you are able to match your home's exterior trim, windows, doors or other accents to any of the sixteen Clopay steel garage door colors! Visit the Paint Desk at The Home Depot and give them the CBP code to get an exact color match in BEHR MARQUEE[®], BEHR ULTRA[™]



or BEHR PREMIUM PLUS® exterior paint. (BEHR, GOOD. BETTER. BEHR, BEHR MARQUEE, BEHR ULTRA and BEHR PREMIUM PLUS are trademarks of Behr Process Corporation of California.)



CLASSIC[™] STEEL



AVAILABLE DESIGNS



HDP20/HDP13/2050 Short Elegant Panel



HDPL20/HDPL13/2053 Long Elegant Panel

Elegant Panel Detail

		ĮĽ		
Н	DB Sho	ort Traditi	onal Panel	



HDBL | Long Traditional Panel

Traditional Panel Detail

AVAILABLE OPTIONS






ADDITIONAL OPTIONS

HDP20/HDPL20/


HDP13/HDPL13/ 2050/2053 HDB/HDBI

ALL MODELS




17

WINDOWS



- Snap-In inserts are made of tough UV-protected plastic
- Inserts snap into the inside or outside frame of plain windows, changing the look in minutes
- Inserts come in 15 colors to match the color of the door; Sunset windows not available on Ultra-Grain[®] finish doors Due to the printing process, colors may vary.

Architectural Series




Architectural Series windows feature a larger viewing area


Insulated glass available on Classic[™] Steel Models HDP20, HDPL20, HDP13 and HDPL13 only

*Classic, elegant leaded design provides privacy while allowing sunlight to pass through. †Wrought Iron acrylic windows not available insulated.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.

Window Location





- Short windows available over short and flush panels (all widths)
- Long windows available over long panels (all widths)
- Long windows available over short and flush panels (8', 9', 16' and 18'* widths only)
- Most windows come standard in top section
- Most windows available in top and second from top section
- *18' not available on Model 2050.

Top Section

Second from Top

EXPLORE more door options



MODERN STEEL[™]



BRIDGEPORT[™] STEEL





Scan to

Scan to learn more





CANYON RIDGE®





CARRIAGE HOUSE 5-LAYER, CHEVRON, LOUVER & MODERN



Scan to learn more

AVANTE® & AVANTE® SLEEK



Scan to learn more





Scan to learn more



RESERVE® WOOD







CONSIDER a commercial door





SHALLOW RIBBED doors

Three-layer sandwich construction available with Intellicore® polyurethane or polystyrene insulation.



Scan to learn more

DEEP RIBBED doors

Two and one-layer construction with environmentally safe polystyrene insulation conformed to panel.



Scan to learn more

ROLL-UP doors

Constructed from 26 gauge sheets, interlocked and seamed together to make a continuous curtain for full height of door.



Scan to learn more



Explore all of the garage door designs and insulation options Clopay has to offer.

See a store associate or scan here to view the Clopay garage door configurator.



HomeDepot.com/GarageDoors



America's Favorite Garage Doors®

Shi in





Gallery® Steel Long Panel Design with Long Rectangular Grille Windows in Ultra-Grain® Oak Dark Finish

And Strategy Di

BEAUTIFUL. DURABLE. RELIABLE.

PROFESSIONAL INSTALLATION

Let Our Qualified Experts Install Your Door Professional Installation Includes:



*Clean up and haul away old door(s) and answer homeowner's questions. Additional fees for haul away may apply in some markets.

INSTALL-IT-YOURSELF

Need a Door Today?

- Ask an Associate for our selection of "In-Stock" doors
- Load it up and take it home today



Take Down

Want a "Custom" Look for Your Home?

Final

Walk-Through

- Bring in your measurements and choose from thousands of styles, sizes and options
- We'll deliver your door in 4 weeks, FREE HOME DELIVERY included



PURCHASE OPTIONS



Visit your local Home Depot store



Perimeter

Seal

Go to HomeDepot.com/GarageDoors




Call 1-800-HOMEDEPOT (466-3337)

SPECIAL In-Stock doors not available in every market. Additional fees apply for deliveries greater than 30 drive miles from store location. NOTES: Please note that Bridgeport[™] Steel, Reserve[®] Wood, Canyon Ridge[®] and Avante[®] doors are available ONLY professionally installed.

Reconnect

Opener

HOW TO MEASURE YOUR DOOR



 Measure existing door width and height in feet and inches. This determines the size of door needed. The rough opening should be the same size as the door.
 Width:

Height:

- Measure for sideroom: 4-1/2" is required on each side for installation of the vertical track for standard extension or torsion springs, or EZ-SET® torsion spring. 5-1/2" is required for EZ-SET® extension spring.
 Sideroom: ______
- 3. Measure area labeled "headroom" distance between the top of the door opening (jamb header) and the ceiling or lowest obstruction (e.g., opener, beams or light fixtures). 10" is required for standard installation of extension springs and EZ-SET® extension spring, 12" on standard torsion springs and EZ-SET® torsion spring. 14-1/2" of headroom required for carriage house doors. If you have restricted headroom, special hardware is available. Low headroom hardware is available to reduce requirement to as low as 4-1/2" (minimum with standard extension spring or EZ-SET® extension spring). EZ-SET® torsion spring low headroom requirement is 9". Note: If door height extends above the opening, the headroom measurement should be adjusted accordingly.

Existing headroom: _ Headroom needed: Measure area labeled "backroom"

 distance is measured from the garage door opening toward the back wall of the garage.

 Backroom: _______

Common garage door sizes include 8' wide \times 7' high, 9' wide \times 7' high, 9' wide \times 7' high, and 16' wide \times 7' high. Clopay manufactures most doors in nearly any size you require.

Follow us on 📑 🖸 🏏 😰 🕒 🕞 🛅 🔟 🚳 🔚 MADE IN USA

©2023 Clopay Corporation. All rights reserved. Printed in U.S.A. In the interest of better quality and value, we are continually improving and updating our products. Consequently, photos and illustrations may sometimes differ from present models.

D3034221-37E REHD-REGCAT-17_REV0623



What To Expect

- Order your new garage door (Visit, Click or Call)
- We'll perform a site inspection to confirm your door size
- We'll contact you to schedule the installation
 Many popular sizes and models* installed within 10 days after site inspection
- Custom "made-to-order" garage doors installed within 4 weeks after site inspection

*Ask an Associate for model and size availability in your market.